



KITCHEN SINK

304 Stainless Steel

KITCHEN SINK

304 Stainless Steel



Web site
jimukitchen.com



Email
support@jimukitchen.com

- Installation Instructions
- Care and Cleaning Guide
- Warranty

PREPARATION FOR INSTALLATION

- Please read the installation manual carefully to make sure you understand all the steps and precautions.
- Check the parts list to make sure you have all the necessary parts and if any parts are missing, please contact JIMU customer service for replacement.
- Inspect the sink before installation to make sure it has not been damaged during transportation.
- Observe all local plumbing and building codes.

For technical assistance or replacement parts, please contact JIMU Customer Service and we will be happy to help:

support@jimukitchen.com


RECOMMENDED TOOLS



Safety Goggles




Silicone Adhesive




Putty Knife




Jig Saw




Tape Measure



Screwdriver



Phillips Screwdriver




Pencil



Scissors




Drill





Step 1

positioning and trace the sink outline.




Step 2

Draw the cut-out line **1/4" (6 mm)** inside the sink outline




Step 3

Drill a pilot hole and cut the countertop along the cut-out line.




Step 5

Put the sink into the cutout and immediately wipe away sealant.



Step 4


Fill the cut-out line with sealant, the recommended width is 3-6mm;



Step 6






Install the strainer.

BASKET STRAINER



FEATURES

1. 304 stainless steel construction.
2. Fits standard 3 1/2" drain opening.
3. Basket strainer prevents debris from clogging drain pipe.
4. Tailpiece included.



TESTING & INSPECTION

After installation check that the sink is fix.

After turning on the water supply, check out leaks.

Install the garbage disposal according to the manufacturer's instructions (if required)

IMPORTANT NOTES

Do not place overweight objects on the sink to avoid damage.

Do not use sharp objects to scratch the surface of the sink that the sink could not suffer from.

Check the sink and pipes regularly to ensure they are working properly.

QUICK TROUBLESHOOTING

Slow Drain

Use a plunger or clean the P-trap under the sink.

Sink Odors

Pour 1 cup baking soda +1 cup vinegar, wait for 15 mins, then flush with hot water.


RUST PREVENTION

Rust on 304 stainless steel typically stems from:

- Chloride exposure (salt, bleach)
- Iron particles from cookware/pans
- Scratches compromising the protective layer.
- Chemical reagents/coatings for decoration works

Prevent:

- Clean the surface immediately after installation and keep it dry.
- Avoid chemical contamination from decoration work.
- Rinse immediately after contact with salty/oil/acidic substances. Keep dry.



Treat rust:

- Apply stainless steel cleaner
- Gently scrub along grain with non-abrasive pad
- Rinse and dry

CARE & CLEANING GUIDE

GENERAL CLEANING

To preserve your stainless steel sink's luster, JIMU recommends weekly cleaning with water and ammonia-free mild liquid soap.

1. Apply cleaner using a soft sponge
2. Rinse thoroughly with lukewarm water
3. Gently dry with a microfiber cloth

HARD WATER DEPOSIT REMOVAL

For mineral buildup:

- Saturate a soft dishcloth with vinegar
- Gently rub affected areas
- Rinse the sink completely and towel dry it.

SURFACE SCRATCH MANAGEMENT

Minor scratches from normal use will naturally blend into the finish over time.

To accelerate blending:

Use a fine white 3M Scotch-Brite® pad OR 3M Scotch-Brite® Natural Fiber Non-Scratch Pad

Apply with Bar Keepers Friend® cleaner and scrub gently with the grain.

CRITICAL PROHIBITIONS

Never use:

- Abrasive powders, bleach, ammonia, alcohol, or chlorine-based cleaners
- Steel wool, wire brushes, or abrasive pads (non-scratch pads ONLY)
- Chloride/chlorine products (rinse immediately if contact occurs)

RECOMMENDED PRODUCTS

Stainless steel cleaner

Microfiber cloth

Non-abrasive sponge

3M Scotch-Brite® Non-Abrasive Pad (stubborn stains)

Bar Keepers Friend® (rust/scratches)

Lifetime Limited Warranty for JIMU® Shower Niche

- JIMU® warrants its stainless steel kitchen, shower niche, and utility sinks manufactured after January 1, 2023, to be free of defects in material and workmanship during normal residential use for as long as the original consumer purchaser owns his or her home. Gloss reduction, scratching, staining and acid or alkaline etching of the finish over time due to use, cleaning practices or water or atmospheric conditions, are not manufacturing defects but are indicative of normal wear and tear. This warranty applies only to JIMU stainless steel sink, shower niche, and utility sinks installed in the United States of America, Canada or Mexico (North America).
- If a defect is found in normal residential use, JIMU® will, at its election, repair, replace or make appropriate adjustment. Damage caused by accident, misuse, or abuse, such as dents and scratches after installation, is not covered by this warranty. Improper care and cleaning will void the warranty. Proof of purchase (original sales receipt) must be provided to JIMU® with all warranty claims. JIMU® is not responsible for labor charges, installation, or other incidental or consequential costs. In no event shall the liability of JIMU® exceed the purchase price of the product.
- If the stainless steel sink, shower niche, or utility sink is used commercially or is installed outside of North America, JIMU® warrants the stainless steel sink to be free from defects in material and workmanship for 1 year from the date the product is installed, with all other terms of this warranty applying except duration. All other components other than the stainless steel component carry JIMU®'s one-year limited warranty unless otherwise specified.
- **If you believe that you have a warranty claim, contact to JIMU at:**
support@jimukitchen.com
Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, order number, the product, model number, and the date the product was purchased.

• JIMU® AND/OR SELLER ARE PROVIDING THIS WARRANTY IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. JIMU CO. AND/OR SELLER DISCLAIMS ANY LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

- Some states/provinces do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of such damages, so these limitations and exclusions may not apply to you. This warranty gives the consumer specific legal rights. You may also have other rights that vary from state/province to state/province.
This warranty is to the original consumer purchaser only, and excludes product damage due to installation error, product abuse, or product misuse, whether performed by a contractor, service company or the consumer.
- This is JIMU®'s exclusive written warranty.



Web site
jimukitchen.com



Email
support@jimukitchen.com